

UPM Raflatac Technical Information

08-05-2019 EN SI

Face	PP MATT WHITE TC 60
Sales Code	CEF
Product	Matt white top-coated Polyolefin film.
Use	For labelling applications – such as personal care and industrial chemical – where a matt appearance is desired and resistance to water, oil and chemicals is important.

Typical technical values

Substance	46	g/m ²	DIN 53352
Caliper	54	µm	DIN 53370
Opacity	75	%	DIN 53146/1

Printability Suitable for flexography, screen and offset printing methods. Thermal transfer is possible with selected wax-resin and resin ribbons.

Disclaimer The performance of the product should always be tested in the actual application conditions. Our recommendations are based on our most current knowledge and experience. As our products are used in conditions beyond our control, we cannot assume any liability for damage caused through their use. Users of our products are solely responsible that the product is suitable for its intended application, and have determined such at their sole discretion. Users must comply with any applicable legislation and/or testing requirements for the finished article, and are responsible for bringing their products to market.

This publication does not constitute any warranty, express or implied, and is intended only for the recipient and cannot therefore be transferred to any third party. We cannot assume any liability for the use of our products in conjunction with other materials.

All our products are sold subject to UPM Raflatac's general sales conditions, and you should ensure that any existing laws are observed.

This publication replaces all previous versions. All information is subject to change without notice.